

## POPLON CHEMIE

**Manufacturers of:LEATHER CHEMICALS & TEXTILE AUXILIARIES**

**An ISO 9001-2015 Certified Company**

I/S Nijjarpura Village,G.T.Road  
Amritsar-143001 INDIA  
www.poplonchemie.com  
poplonchemie@hotmail.com  
sunilbehal@poplon chemie.com

Cell : +91 9815003892  
Telefax : +91 8427003892

## POPTEX LR

**Levelling Agent with slight tanning properties; dispersing agent for vegetable tannins.**

**Poptex LR** is versatile in application.

- In dyeing as levelling and lightening agent for anionic dyes, especially suitable for medium to pastel shades.
- For the fixation of cationic dyes and fatliquors.
- As dispersing agent for vegetable tannins and in retannages with anionic and nonionic resin tannins. Promotes the penetration and distribution of the tannin while simultaneously improving the dyeability and penetration.

### PROPERTIES:

Appearance : Very light, yellowish-brown powder, readily soluble in water.

Chemical Character : Sodium Salt of an aromatic sulphonic acid, anionic.

Active Ingredients : 96%

pH of 10% solution : 7-8


### **Application :**

- **Dyeing pale and pastel shades with anionic dyes :**

POPTEX LR is used here as a levelling and brightening agent. It is added at the beginning of the dyeing about 10 minutes before the dye is added, either dissolved in a 1:5 ratio or in powder form. It can also be added directly together with the dye, in which case the dyeing is lightened somewhat less.

Amounts :	POPTEX LR
Medium to pale shades	0.2-1%
Pastel shades	1-3%
	On the shaved weight.

Contd.....2.....



## POPLON CHEMIE

**Manufacturers of:LEATHER CHEMICALS & TEXTILE AUXILIARIES**

**An ISO 9001-2015 Certified Company**

I/S Nijjarpura Village,G.T.Road  
Amritsar-143001 INDIA  
www.poplonchemie.com  
poplonchemie@hotmail.com  
sunilbehal@poplon chemie.com

Cell : +91 9815003892  
Telefax : +91 8427003892

.....2.....

- **Fixation of cationic dyes and fat liquors :**

Additional fixation of dyeings or toppings with cationic dyes and cationic fatliquors can be obtained by an aftertreatment with POPTEx LR. It is added to the exhausted dyeing or fatliquoring bath.

Amounts : 0.5-1% POPTEx LR on shaved weight.

- **Vegetable tanning :**

POPTEx LR disperses the vegetable tannin , largely prevents the formation of undesired sludge and speeds up the through – tanning process.

Amounts in drum tanning : 2-10% POPTEx LR based on the amount of Vegetable tannin.

- **In retannages :**

POPTEx LR is added as a dispersing and levelling agent to retannages with vegetable tannins as well as anionic and nonionic resin tannins; the penetration of the retanning agents thereby becomes more uniform and the grain remains more elastic.

Amounts : 5-30% poptex LR based on the retanning agent.

### **STORAGE STABILITY:**

Virtually unlimited, if frozen. Ensure it is stored dry and opened containers are tightly closed.

### **HANDLING PRECAUTIONS:**

The eyes and respiratory tracts should be protected against contact with the product as it has a strong irritating effect on the mucous membranes.

---