

POPTAN FRS

An anionic Resin syntan for retannage of all types of chrome leathers.

TYPICAL ANALYSIS :

Chemical Type	:	Melamine Resin with special additives.
Concentration	:	90%
pH of 10% solution	:	9.5
Solubility	:	Readily soluble in water
Appearance	:	Pale brown free flowing powder

PROPERTIES :

- Poptan FRS is a spray dried, pale brown, free flowing anionic Resin syntan.
- Poptan FRS precipitates under acid conditions and this precipitate, in combination with colloidal and other softening agents, has a selective filling action which improves the more open structured areas as Belly flanks of the leather.
- Poptan FRS when used as a Retannage for neutralised chrome stock results in a leather with a full feel, a tight flexible grain and uniform softness.

ADVANTAGES :

- Produce short & uniform napps to nubuck & suedes.
- A tight and flat grain ideally suited to level dyeing and fatliquoring.
- Improved richness and fullness where it is required most.
- Excellent surface for past drying and subsequent buffing.
- Produces uniformly soft leather without additional fatliquoring.

APPLICATIONS :

- For the production of softy full grain, corrected grain upper leather and nubuck, 2-5% is recommended.
- For the mild, filling retannage of all types of chrome leather, where fullness and suppleness are desired, 2-5% is recommended.

STORAGE :

Present no problem under normal storage conditions and has an indefinite shelf life. Some caking may occur if the product is stored in damp, warm conditions, but this does not detract from the efficiency of the product.